

MALÅ Easy Locator

Utility Locating Solutions



MALÅ Easy Locator HDR
the new industry standard
for GPR utility locating



MALÅ EasyLocator HDR
Antenna and Controller

Utility Locating made Easy... again

The MALÅ Easy Locator revolutionized the utility locating industry and became the industry standard to which all later products is compared. Built on this massive success, MALÅ introduces the Easy Locator HDR (High Dynamic Range). The MALÅ Easy Locator HDR, is faster, even easier to use, more powerful and delivers cleaner data with more detail at up to 20% better penetration depth to comparable systems.

Advances in the design and construction of buried utilities have resulted in the ever increasing use of non-metallic materials. Locate professionals know the difficulties associated with non-metallic utilities and that conventional locating tools leave you a few pieces short. Ground penetrating radar is the only technology available that neither require physical connection to the utility, nor does it rely on electromagnetic (EM) radiation from the utility. The MALÅ Easy Locator series was designed to meet with the requirements from the locating industry and has become the standard ground penetrating radar utility locating tool.

The MALÅ Easy Locator HDR looks at first glance similar to its predecessor and is keeping all the appreciated features and functions but it is a major improvement in data quality, power management and speed. Even if the Easy Locator's well-known look and feel is kept intact, the user interface is made even simpler and clearer. Collected data is of unprecedented quality and max continuous run-time is now at 14 hours. The new Easy Locator HDR also includes a built-in DGPS receiver, simplifying positioning of identified utilities. Maybe the most important aspect of the new MALÅ Easy Locator HDR, the price structure is kept at the same level as before, well below competitive and comparable products.

"Having dealt with various types of GPR equipment, for our application there is no alternative to the MALÅ Easy Locator. It is simply the best suited GPR unit to solve our detection needs."

- MWH Global, U.K.



The market leading MALÅ Easy Locator

The MALÅ Easy Locator was the first ground penetrating radar specifically designed for only one application area, to detect buried utilities. With everything built into one unit, designed to deliver results immediately at site, and with an understandable and dedicated interface, the MALÅ Easy Locator made ground penetrating radar measurements easier, more accessible and understandable. The MALÅ Easy Locator HDR is the new improved, soon-to-be, market leader for ground penetrating radar utility detection.

The MALÅ Easy Locator HDR is an **all-in-one** unit with a hinged shaft enabling the entire unit to fit in the back of a standard station wagon for transportation between sites. The **(HDR)** high dynamic range antenna, **optimized for utility detection**, are ruggedized, sealed and shielded. The Easy Locator monitor has excellent readability, even in direct sunlight, and the **keyboard-less** interface is controlled by a single turn-and-push dial. All sensitive parts of the system are carefully protected in a robust aluminum casing, weather protected and built to last through harsh environments and rough transports. The MALÅ Easy Locator is **built to deliver** at site and the dedicated built-in software is tailored for utility detection and include all necessary components from start to finish. MALÅ's goal when designing and building the system was to make ground penetrating radar simpler, **cost effective** and more accessible to the utility market, hence the name, **The MALÅ Easy Locator HDR**.



The MALÅ Easy Locator HDR's hinged shaft simplifies logistics between sites and minimizes startup time



Built-in DGPS



The MALÅ Easy Locator HDR fits also nicely into the MALÅ Rough Terrain Cart (RTC) option.

For more information, see www.malags.com



EASY LOCATOR HDR

(patents pending)

Technical Specification

POWER SUPPLY: Li-Ion 12V/8.7Ah battery

SYSTEM POWER CONSUMPTION: 2.4A

CONTINUOUS OPERATING TIME: 14h (4 bat. packs)

OPERATING TEMP: -20° to +50°C or 0° to 120 °F

ENVIRONMENTAL: IP65

MAX OPERATING SPEED: >25 km/h (>15 mph)

MAX SCAN RATE: >1024 scans/sec. @ 700 samples

DISPLAY: 10.4" Color TFT, sunlight-readable, LCD

DIM. WITH WHEELS: 67x47x19cm / 26"x19"x7" (excluding handle)

TOTAL SYSTEM WEIGHT: 21,5 kg / 47 lb

ANTENNA: High Dynamic Range 450MHz Antenna

DGPS (SBAS): Built-in. External devices are also supported.

Features and Accessories

Ergonomic, Compact and Field rugged design

Minimal setup time

Simple, one-button, operation

Multiple battery management, no swapping (up to 4 batteries)

Real-time zoom (no 'depth window' setting necessary)

Multiple Language support

Detects metallic and non-metallic utilities

On-site marking of utilities and objects

Back up cursor for quick and accurate utility marking

Rough Terrain Cart as option

MALÅ Geoscience is the Global Leader in Ground Penetrating Radar (GPR) with users in 113 countries and more than 60 distributors.

With offices in Sweden, USA, China, Malaysia and Australia, and service centers in 3 continents, the company offers an outstanding level of service to customers and business partners worldwide.

CORPORATE HEADQUARTERS

MALÅ Geoscience

Skolgatan 11, SE-930 70
Malå, Sweden
PHONE: +46 953 345 50
FAX: +46 953 345 67
E-MAIL: sales@malags.com

OFFICES

USA

MALÅ Geoscience USA, Inc.,
465 Deanna Lane,
Charleston, SC 29492
PHONE: +1 843 852 5021
FAX: +1 843 284 0684
E-MAIL: sales.usa@malags.com

CHINA

MALÅ Geoscience (China)
Room 2604,
Yuan Chen Xin BLDG, No.12
Yu Min Road Chao Yang District
Beijing 100029
PHONE: +86 108 225 0728,
FAX: +86 108 225 0815
E-MAIL: sales@malags.com

MALAYSIA

MALÅ Geoscience (South East Asia)
9-B, Jalan Prima 9,
Metro Prima, Kepong, 52100
Kuala Lumpur, Malaysia
PHONE: +60 (0)3 6250 7351
FAX: +60 (0)3 6250 2072
E-MAIL: sales@malags.com

AUSTRALIA

MALÅ Geoscience (Oceania)
Unit 26, 10-18 Orchard Road
Brookvale, NSW 2100, Australia
PHONE: +61 438 278 902
FAX: +61 2 9908 1484
E-MAIL: sales@malags.com

